INTRODUCTION TO SYSTEMS ANALYSIS AND DESIGN:

AN AGILE, ITERATIVE APPROACH

SATZINGER | JACKSON | BURD

CHAPTER 13

Making the System Operational

Chapter 13

Introduction to Systems
Analysis and Design:
An Agile, Iteractive Approach
6th Ed

Satzinger, Jackson & Burd



Chapter 13 Outline



- Testing
- Deployment Activities
- Planning and Managing Implementation, Testing, and Deployment
- Putting It All Together—RMO Revisited

Learning Objectives

- Describe implementation and deployment activities
- Describe various types of software tests and explain how and why each is used
- Explain the importance of configuration management, change management, and source code control to the implementation, testing, and deployment of a system
- List various approaches to data conversion and system deployment and describe the advantages and disadvantages of each
- Describe training and user support requirements for new and operational systems

Overview

- Up to this point, the text has covered the first four of the core development processes in the SDLC
- This chapter covers the last 2 processes— Implementation activities and Deployment activities
- Implementation includes programming and testing activities. Deployment includes system tests, converting data, training, setting up the production environment, and deploying the solution

Implementation and Deployment Activities



Implementation activities

Program the software.

Unit test the software.

Identify and build test cases.

Integrate and test components.

Deployment activities

Perform system and stress tests.

Perform user acceptance tests.

Convert existing data.

Build training materials and conduct training.

Configure and set up production environment.

Deploy the solution.

Core		Iterations					
processes		1	2	3	4	5	6
Identify problem and obtain approval.	1					 	
Plan and monitor the proje	ct.						
Discover and understand of	letails.						
Design system component	s.						
Build, test, and integrate sy components.	ystem						
Complete system tests and solution.	deploy						



Test Types

Test type	Core process	Tested defects and operational characteristics
Unit testing	Implementation	Software component that doesn't correctly perform its function when tested in isolation—for example, a component for calculating sales tax that consistently computes sales tax incorrectly for one or more localities
Integration testing	Implementation	Software component that performs correctly in isolation but incorrectly when tested in combination with other components—for example, order entry and shipping cost calculation components that pass unit testing but fail when tested together due to conversion errors as data are passed from one component to the other
Usability testing	Implementation	Software that works but fails to satisfy one or more user requirements related to function or ease of use—for example, a user-interface component that forces a user to follow a needlessly complex procedure to complete a common and simple task
System and stress testing	Deployment	System or subsystem that doesn't correctly perform its function or fails to meet a nonfunctional requirement under normal operating conditions—for example, an order retrieval function that displays a result in two seconds when tested in isolation with a dummy database but requires 30 seconds when tested with other functions using a live database

Testing Concepts



- Testing the process of examining a component, subsystem, or system to determine its operational characteristics and whether it contains any defects
- Test case a formal description of a starting state, one or more events to which the software must respond, and the expected response or ending state
 - Defined based on well understood functional and nonfunctional requirements
 - Must test all normal and exception situations
- Test data a set of starting states and events used to test a module, group of modules, or entire system
 - The data that will be used for a test case

Unit Testing

- Unit test tests of an individual method, class, or component before it is integrated with other software
- Driver a method or class developed for unit testing that simulates the behavior of a method that sends a message to the method being tested
- Stub a method or class developed for unit testing that simulates the behavior of a method invoked that hasn't yet been written

Unit Testing Driver to test createCartItem method



```
main()
 // driver method to test CartItem::createCartItem()
 // declare input parameters and values
 int promoID = 23;
 int prodID = 1244;
 String size = "large";
 String color = "red";
 int quantity = 1;
 // perform test
 cartItem cartItem = new cartItem():
 cartItem.createcartItem(promoID,prodID,size,color,quantity);
 // display results
 System.out.println("price=" + cartItem.getPrice());
 System.out.println("description=" + cartItem.getDescription();
 System.out.println("status=" + cartItem.getStatus());
} // end main()
```

Unit Testing Some stub modules used by createCartItem



```
float getPrice()
 // stub method for CatalogProduct::getPrice()
return(24.95);
} // end getPrice()
String getDescription()
 // stub method for Product::getDescription()
return("mens khaki slacks");
} // end getDescription()
String updateQty(int decrement)
 // stub method for InventoryItem::updateQty()
return("OK");
} // end updateQty()
```

Integration Testing

- Integration test tests of the behavior of a group of methods, classes, or components
 - Interface incompatibility—For example, one method passes a parameter of the wrong data type to another method
 - Parameter values—A method is passed or returns a value that was unexpected, such as a negative number for a price.
 - Run-time exceptions—A method generates an error, such as "out of memory" or "file already in use," due to conflicting resource needs
 - Unexpected state interactions—The states of two or more objects interact to cause complex failures, as when an OnlineCart class method operates correctly for all possible Customer object states except one

Integration Testing

- Integration testing of object-oriented software is very complex because an object-oriented program consists of a set of interacting objects
 - Methods can be (and usually are) called by many other methods, and the calling methods may be distributed across many classes.
 - Classes may inherit methods and state variables from other classes.
 - The specific method to be called is dynamically determined at run time based on the number and type of message parameters.
 - Objects can retain internal variable values (i.e., the object state) between calls. The response to two identical calls may be different due to state changes that result from the first call or occur between calls.

Usability Testing

- Usability test a test to determine whether a method, class, subsystem, or system meets user requirements
- Many usability tests are required because they involve functional and non-functional requirements
- Most common type evaluates functional requirements, use case by use case
 - Can be completed in each iteration as use cases are implemented
 - Can test ease of learning and ease of use
 - Can test whether results match actual requirements
 - Key type of feedback from users throughout project

System, Performance, and Stress Testing




- System test an integration test of an entire system or independent subsystem
 - Can be performed at the end of each iteration
 - Can be performed more frequently
 - Build and smoke test a system test that is performed daily or several times a week
 - The system is completely compiled and linked (built), and a battery of tests is executed to see whether anything malfunctions in an obvious way ("smokes")
 - Automated testing tools are used. Catches any problems that may have come up since the last system test

System, Performance, and Stress Testing



- Performance test or stress test an integration and usability test that determines whether a system or subsystem can meet time-based performance criteria
 - Response time the desired or maximum allowable time limit for software response to a query or update
 - Throughput the desired or minimum number of queries and transactions that must be processed per minute or hour

User Acceptance Testing



- User acceptance test a system test performed to determine whether the system fulfills user requirements
- May be performed near the end of the project (or at end of later project iterations)
- A very formal activity in most development projects. Payments tied to passing tests
- Details of acceptance tests are sometimes included in the request for proposal (RFP) and procurement contract

Deployment Activities





Deployment activities

Perform system and stress tests.

Perform user acceptance tests.

Convert existing data.

Build training materials and conduct training.

Configure and set up production environment.

Deploy the solution.

Core	Iterations					
processes	1	2	3	4	5	6
Identify problem and obtain approval.					 	
Plan and monitor the project.						
Discover and understand details.						
Design system components.						
Build, test, and integrate system components.						
Complete system tests and deploy solution.		 				

Converting and Initializing Data




- An operational system requires a fully populated database to support ongoing processing
- Data needed at system startup can be obtained from these sources:
 - Files or databases of a system being replaced
 - Manual records
 - Files or databases from other systems in the organization
 - User feedback during normal system operation

Converting and Initializing Data

Complex data conversion example





Introduction to Systems Analysis and Design, 6th Edition

Training Users

- Training is needed for end users and system operators
- Training for end users must emphasize hands-on use for specific business processes or functions, such as order entry, inventory control, or accounting
 - Widely varying skill and experience levels call for at least some hands-on training, including practice exercises, questions and answers, and one-on-one tutorials
- System operator training can be much less formal when the operators aren't end users
 - Experienced computer operators and administrators can learn most or all they need to know by self-study


Training Users



End-user activities	System operator activities
Creating records or transactions	Starting or stopping the system
Modifying database contents	Querying system status
Generating reports	Backing up data to archive
Querying database	Recovering data from archive
Importing or exporting data	Installing or upgrading software

Configuring the Production Environment








- Development Order
 - Input, process, output (IPO) a development order that implements input modules first, process modules next, and output modules last
 - Top-down development a development order that implements top-level modules first
 - Use stubs for testing
 - Bottom-up development a development order that implements low-level detailed modules first
 - Use drivers for testing



- Source code control
 - An automated tool for tracking source code files and controlling changes to those files
 - A programmer checks out a file in read-only mode when he or she wants to examine the code without making changes (e.g., to examine a module's interfaces to other modules)
 - When a programmer needs to make changes to a file, he or she checks out the file in read/write mode
 - The SCCS allows only one programmer at a time to check out a file in read/write mode.

Source Code Control System (SCCS)









- Packaging, installing, and deploying components
 - Issues to consider when planning
 - Incurring costs of operating both systems in parallel
 - Detecting and correcting errors in the new system
 - Potentially disrupting the company and its IS operations
 - Training personnel and familiarizing customers with new procedures
 - Different approaches
 - Direct deployment
 - Parallel deployment
 - Phased deployment

- Direct deployment a deployment method that installs a new system, quickly makes it operational, and immediately turns off any overlapping systems
 - Higher risk, lower cost




- Parallel deployment a deployment method that operates the old and the new systems for an extended time period
 - Lower risk, higher cost



Phased deployment –

 a deployment method that installs a new system and makes it operational in a series of steps or phases



- Submitting Error Reports and Change Requests
 - Standard reporting methods
 - Review of requests by a project manager or change control committee
 - For operational systems, extensive planning for design and implementation
- Implementing a Change
 - Identify what parts of the system must be changed
 - Secure resources (such as personnel) to implement the change
 - Schedule design and implementation activities
 - Develop test criteria and a testing plan for the changed system

- Change and Version Control tools and processes handle the complexity associated with testing and supporting a system through multiple versions
 - Alpha version a test version that is incomplete but ready for some level of rigorous integration or usability testing
 - Beta version a test version that is stable enough to be tested by end users over an extended period of time
 - Production version, release version, or production release a system version that is formally distributed to users or made operational for long-term use
 - Maintenance release a system update that provides bug fixes and small changes to existing features

RMO CSMS System Revisited

- Upgrade or Replace?
 - The current infrastructure is near capacity.
 - RMO expects to save money by having an external vendor host the CSMS
 - Existing CSS programs and Web interfaces are a hodgepodge developed over 15 years
 - Current system software is several versions out of date
 - Infrastructure that supports the current CSS can be repurposed to expand SCM capacity
- Therefore RMO decided to Replace

RMO CSMS System Revisited



- Phased Deployment to Minimize Risk
 - Deploy in two versions
- Database Development and Data Conversion
 - New database built and data migrated before deploying version 1, in iterations
- Development Order
 - Start with the higher risk Sales subsystem and customer facing Order fulfillment subsystem
- Documentation and Training
 - Spread throughout later iterations for both versions

RMO CCMS Iteration Plan (part 1)



Iteration	Description
1	Define business models and development/deployment environment. Define essential use cases and rough class diagram. Storyboard sales processing. Finalize deployment environment. Select and acquire network components, system software, hardware, and development tools. Create a CSS database copy with minimal data content as a starting point for CSMS database. Construct a simple prototype for adding a customer order (no database updates) and perform usability testing.
2	Define class, use case, sequence diagrams, and programs, concentrating on the key use cases (Search for item, Fill shopping cart, Check out shopping cart, Look up customer, and Create customer account). Deploy infrastructure components, including operating systems, Web/application servers, and DBMS by the middle of the iteration. Update database schema based on newly defined or revised classes and associations. Perform usability, unit, and integration testing to validate database design, customer/sales function set, and user interfaces.
3	Loop through iteration 2 use cases again and make all changes determined at the end of the previous iteration. Expand requirements and design to cover additional sales use cases and essential customer account and order-fulfillment use cases. Perform usability, unit, and integration testing.
4	Loop through iteration 3 use cases again and make all changes determined at the end of the previous iteration. Expand requirements and design to cover remaining Marketing subsystem use cases for products and promotions. Develop customer-oriented online help for all functions implemented in previous iterations. Prepare training materials and conduct training for phone and retail stores sales personnel. Finalize the new database and prepare it for data migration. Develop data migration (import) procedures. Test and refine data migration procedures by importing all data from the CSS database.





5	Loop through iteration 4 use cases again and make all changes determined at the end of the previous iteration. Continue training for phone and retail stores sales personnel. Conduct usability tests with a large number of actual or simulated customers. Make any needed changes to user interfaces, including online help. Conduct performance and stress testing and make any needed changes. Create a copy of the CSMS deployment environment at the Park City data center for use as a test system for version 2.0 development. Conduct use acceptance testing. Import all CSS database changes since the last import. Place version 1.0 into production.
6	Monitor system performance and user comments. Develop a change list and classify them as "ASAP" or "version 2.0." Implement ASAP changes. Expand requirements and design to cover essential use cases from the Reporting subsystem and those related to social networking. Migrate database updates from CSMS to CSS database twice per day. If no problems are encountered with CSMS, discontinue data migration and old system operation at the end of this iteration.
7	Loop through iteration 6 use cases again and make all changes determined at the end of the previous iteration. Expand requirements and design to cover all remaining use cases. Update database design as needed to support version 2.0 use cases. Program iteration 7 and use cases and conduct unit and integration testing.
8	Develop customer-oriented online help for all functions implemented in iterations 6 and 7. Prepare training materials and conduct training for sales, marketing, and management personnel. Conduct usability tests with a large number of actual or simulated customers. Make any needed changes to user interfaces, including online help. Update the production database with any structural changes in the test database.
9	Continue training for sales, marketing, and management personnel. Conduct performance and stress testing and make any needed changes. Conduct use acceptance testing. Place version 2.0 into production.

Summary

- Implementation and deployment are complex processes because they consist of so many interdependent activities
- Implementation activities include program the software, unit tests, building test cases, and integrate and test components
- Deployment activities include perform system and stress tests, perform acceptance tests, convert existing data, build training materials/conduct training, configure and set up the production environment, and deploy the solution
- Testing is a key activity of implementation and deployment and includes unit tests, integration tests, usability tests, system/performance/stress tests, and acceptance tests

Summary (continued)

- A program development plan is a trade-off among available resources, available time, and the desire to detect and correct errors prior to system deployment
- Configuration and change management activities track changes to models and software through multiple system versions, which enables developers to test and deploy a system in stages
- Versioning also improves post deployment support by enabling developers to track problem support to specific system versions
- Source code control systems enable development teams to coordinate their work



Summary (continued)

- Three options for deployment include direct deployment, parallel deployment and phased deployment
- Direct deployment is riskier but less expensive.
 Parallel deployment is less risky but more expensive
- For moderate to large projects, a phase deployment approach makes sense to get key parts of the system operational earlier

